

www.multi-sweet.com



MULTI-SWEET GROUP

Tel : +86-371-67002231

Email : Inquiry@multi-sweet.com

Address : 11th Floor,Block B,Building 16,University Science Park,Qinling Road,
Zhongyuan District,Zhengzhou City,China.



**A LEADING
BEEKEEPING
SOLUTION PROVIDER**



MULTI-SWEET GROUP

SERVE BEEKEEPING BENEFIT PEOPLE

Multi-sweet



INDEX ●

01/04

COMPANY INFORMATION

About Us
Development History

05/15

BEEHIVE COMPONENTS

Bee Hive & Nuc Box
Bee Frame & Foundation
Queen Excluder

16/25

HARVESTING

Honey Extractor
Honey Strainer
Honey Tank

26/37

BEEKEEPING TOOLS

Bee Smoker
Hive Tool
Honey Scraper
Bee Brush
Beehive Accessories

38/43

FEEDING

Bee Feeder
Bee Bread
Bee Products

44/51

QUEEN REARING

Mating Box
Queen Cage
Grafting Tool for Queen Larvae
Cell Protector Cage
Marking Pen

52/57

PROTECTIVE CLOTHING

Bee Suit
Bee Hat
Beekeeper Gloves
Bee Shoes

58/65

MACHINERY

Beeswax Embossing Machine
Wax Press Machine
Honey Processing Machine
Honey Processing Line



INTRODUCTION



ABOUT US

Multi-sweet Group, founded in 2003, is a leading bee-keeping solution provider specialized in beekeeping equipment R&D and manufacturing, queen rearing, and cross-border e-commerce trading. The product & service line ranges from beekeeping supplies, queen bees, animal husbandry, pet equipment to consultation services on apiculture development.

Multi-sweet Group is consist of five factories (Honey Extractor, Plastic Tools & Hardware, Wooden Ware, Bee Pollen and Beekeeping Machinery), one warehouse logistic park, one marketing center (Henan Multi-sweet Beekeeping Technology Co., Ltd), and one overseas company (Multi-sweet Group Hongkong Co., Limited), covering 40,000 square meters. Thanks to over 160 staff, the business has covered more than 190 countries and regions, including North America, Europe, Australia, Africa, Middle East and Southeast Asia.

Multi-sweet Group is dedicated to the service of global bee industry, with the Development Strategy of "providing the best solution to make beekeeping simple and easy", the Action Program of "serve bee-keeping and benefit people", the Management Idea of "learn from bees and be natural", and strive to build a startup platform with more value for the customers and more well-being for the employees.



Development History

2003-2008

Multi-sweet established,with the main business:domestic trade of bee products and bee-keeping consultation services.



2009

Trade platform Alibaba introduced,cross-border e-commerce trade started.



2010-2013

Three crossborder e-commerce platforms built,equipment in the workshop of bee products upgraded,import & Export Right obtained.



2014

Honey extractor production equipment upgraded,becoming the first manufacturer of seamless honey extractor in China. Plastic and hardware factory up and running.



2015-2017

Top 3 in the industry of beekeeping equipment in China,wooden ware factory established as a joint venture.E-commerce logistic park established.



2018

The development mode of a one-stop apiculture chain including beekeeping, equipment R&D,production,logistics,sales and consulting services has seen its embryonic form. The production equipment of honey extractor upgraded again,production by digital control achieved. Joint ventures of Fengbao Bee Products and Weiliya Machinery Plant established.



2019

Development Strategy of "market centered and customer-focused" established,and strive to reach the very bottom of the field.



2020

Xuchang Multi-sweet Bee Breeding Co., Ltd., a subsidiary of the group company, passed the inspection and acceptance of the Henan Provincial Department of Agriculture and Rural Affairs, and was rated as the only provincial-level Western Bee Breeding Farm in Henan Province.



2021

Henan Multi-sweet Beekeeping Technology Co., Ltd. was jointly rated as a national high-tech enterprise.



2022

Henan Multi-sweet Beekeeping Technology Co., Ltd. is proposed to be recognized as a "specialized, special and new" small and medium-sized enterprise and a high-tech, high-growth, high-value-added cultivation library enterprise in Zhengzhou city.



2023

Henan Multi-sweet Industrial Group has become a group member unit of China Bee Products Association.



01 BEEHIVE COMPONENTS

- Bee hive & nuc box
- Bee frame & foundation
- Queen excluder

Multi-sweet



BEEHIVE COMPONENTS



A beehive is an artificial and enclosed structure in which some honey bee species of the subgenus Apis live and raise their young. Beehives serve several purposes: production of honey, pollination of nearby crops, housing supply bees for apitherapy treatment, and to try to mitigate the effects of colony collapse disorder. Typically it consists of cover, hive box, bottom base and entrance reducer.

Beehive&Nuc Box

Standard Langstroth Beehive B-7L (10F & 8F)

Here take 10F for example :

- Material: China fir or Pine
- Thickness: 20mm

Dovetail Joints

Standard Beehive Components:	1 x outer cover with galvanized metal roof (assembled)
	1 x inner cover
	1 x brood box (unassembled)
	1 x medium box (unassembled)
	1 x base (assembled)
	1 x entrance reducer

Components

Beehive kit:	1 x outer cover (assembled)
	1 x inner cover
	1 x brood box (unassembled)
	10 x full depth frames (unassembled)
	10 x full depth plastic foundation sheet
	1 x medium box (unassembled)
	10 x medium frames (unassembled)
	10 x medium plastic foundation sheet
	1 x base (assembled)
	1 x entrance reducer



B-7L

Custom Service

Customization is available, such as	Logo
	Mesh base with drawer
	Mesh base without drawer
	Painted
	Wax dipped
	Painted with wax dipped

Standard Australian Beehive B-7A (10F & 8F)

Here take 10F for example:

- Material: New Zealand Pine Wood
- Thickness: 20mm

Dovetail Joints

Standard Beehive Components:	1 x Pine Lid with Galvanized lid cover (assembled)
	2 x 10 frame NZ Pine full depth boxes (unassembled)
	1 x NZ Pine bottom board with cleats (unassembled)

Components

Beehive kit:	1 x Pine Lid with Galvanized lid cover (assembled)
	2 x 10 frame NZ Pine full depth boxes (unassembled)
	20 x full depth frames (unassembled)
	1 x stainless steel queen excluder
	1 x NZ Pine bottom board with cleats (unassembled)
	1 x Nails (1bag)

Components

Beehive kit:	1 x Pine Lid with Galvanized lid cover (assembled)
	2 x 10 frame NZ Pine full depth boxes (unassembled)
	20 x full depth frames (unassembled)
	20 x plastic foundation sheet
	1 x stainless steel queen excluder
	1 x NZ Pine bottom board with cleats (unassembled)
	1 x Nails (1bag)

Custom Service

Customization is available, such as	Logo
	Mesh base with drawer
	Mesh base without drawer
	Painted
	Wax dipped
	Painted with wax dipped



B-7A



B-7A



B-7A

Dadant Beehive B-7D (10F & 12F)

Here take 10F for example:

- Available material: China Fir and Pine
- Thickness: 24mm
- Complete with: 1 x Lid with galvanized lid cover (assembled)
 - 1 x inner cover
 - 1 x brood box (unassembled)
 - 1 x super (unassembled)
 - 1 x base (assembled)
 - 1 x entrance

Components

Beehive kit:	1 x Lid with Galvanized lid cover (assembled)
	1 x inner cover
	1 x brood box (unassembled)
	10 x deep frame (unassembled)
	10 x wired deep wax foundation sheets
	1 x super (unassembled)
	10 x super frame (unassembled)
	10 x wired super wax foundation sheets
	1 x Plastic queen excluder
	1 x Porter bee escape
	1 x base (assembled)

Custom Service

Customization is available, such as	Logo
	Mesh base without removable Varroa Tray
	Mesh base with removable Varroa Tray
	Painted
	Painted with wax dipped



B-7D



B-7D



B-7D

National Beehive B-7E

Specifications:

- Available material: China Fir and Pine
- Thickness: 20mm
- Complete with: 1 x Lid with galvanized lid cover (assembled)
 - 1 x wooden crown board with slots for porter bee escapes
 - 1 x brood box (unassembled)
 - 2 x supers (unassembled)
 - 1 x base with open mesh floor (assembled)

Components

Beehive kit:	1 x Lid with Galvanized lid cover (assembled)
	1 x wooden crown board with slots for porter bee escapes
	1 x brood box (unassembled)
	11 x deep brood frame (unassembled)
	11 x wired deep brood wax foundation sheets
	2 x supers (unassembled)
	20 x super frame (unassembled)
	20 x wired super wax foundation sheets
	1 x Plastic queen excluder
	1 x Porter bee escape
	6 x Metal frame runner
	1 x base with open mesh floor (assembled)

Custom Service

Customization is available, such as	Logo
	Removable Varroa Tray
	Painted
	Painted with wax dipped
	Special design as your requirement



B-7E



B-7E



Top Bar Beehive

Specifications:

- Material: Pine Wood
- Application: Beekeeping equipment,Suitable For African Countries
- Color: Natural
- Frame: 29 Frames
- Size: 119*55*39cm



Italian Beehive

Specifications:

- Material: Wood Fir
- Applicable Industries: Farms,Beekeeping,Suitable for Italian beekeepers
- Frame: 8/10 Frames
- Size: 55*60*30cm



Langstroth Top Bar Beehive

Specifications:

- Material: Fir Wood
- Suitable for frame: 48.3*44.8*23.2cm
- Top cover with metal,3 inner covers box,bottom board with ventilated hole,legs
- Wax coated and customize logo is also available



Czech Beehive

Specifications:

- Material: Fir Wood
- Thickness: 25mm
- Outer cover with metal lid
- Screen bottom board with PVC drawer
- 3 layers is also available



Plastic Beehive B-25

Specifications:

- Material: HDPE
- Including:1* lid,1* bee feeder,2* deep boxes,1* queen excluder,1* divider,1* base with drawer,4* entrance discs,4* buckles,1set* screws,1* user manual
- Suitable for Langstroth deep frames(frames are not included)

Nuc Box

A nuc (short for nucleus colony) is a small colony made up of a few thousand bees, all centered on a queen. Nuc boxes are perfect for raising queens, transferring colonies, splitting colonies, and even catching swarms. Having a nuc can give you a more solid foundation for a colony than you might get with packaged bees.



B-20-2

PP Nuc Box B-20-2

Specifications:

- Material: Polypropylene
- Inner size: 465*208*268mm
- Thickness: 4mm
- Frame: 5 frames



B-7N2

Langstroth Nuc Box B-7N2

Specifications:

- Application: Suitable for Langstroth Nuc Box
- Material: China Fir
- Inner size: 505*230*245mm
- Thickness: 20mm
- Frame: 5 frames
- Material,thickness & other spare parts can be customized



New Style Wooden Nuc Box

Specifications:

- Material: China Fir
- Frames: 8
- Enter: 4
- Lid height: 3.5cm
- Size: 32*32*20cm
- Inside Width: 28cm
- Bee Feeder Length: 25cm



B-7N

Australian Nuc Box B-7N

Specifications:

- Application: Suitable for Australian Nuc Box
- Material: China Fir
- Inner size: 505*230*242mm
- Thickness: 20mm
- Frame: 5 frames
- Material,thickness & other spare parts can be customized



B-23

Plastic Nuc Box B-23

Specifications:

- Material: HDPE
- Frames: 4 frames
- Size: 24*15*17
- Color: Blue,Green,Red & Other color can be customized

BEE FRAME&BEE FOUNDATION



A hive frame or honey frame is a structural element in a beehive that holds the honeycomb or brood comb within the hive enclosure or box. The hive frame is a key part of the modern movable-comb hive, from which beekeepers can collect honey, beeswax and propolis. It can be removed in order to inspect the bees for disease or to extract the excess honey.



FR-1

Wooden Bee Frame FR-1

Specifications:

- Material: Pine (knot-free)
- Deep frame: 48.3*44.8*23.2cm
- Medium frame: 48.3*44.8*15.9cm
- Unassembled
- Customization Available

Dadant Bee Frame

Specifications:

- Material: New zealand pine
- Size: 47*43.5*30cm/47*43.5*16cm
- Weight: 5.5kg
- Color: Natural

This dadant beehive frame using high-quality wood and the size of wire is produced according to strict requirements to protect your little bees from harm.



UK Bee Frame

Standard UK Frame available in

- Used in UK beehive to collect honey, beeswax and bee propolis
- Deep frame: 43.2*35.6*21.5cm
- Medium frame: 43.2*35.6*14cm
- Frames are kit set and packed in cartons.

Our Standard Frames are self spacing frames wide enough to provide the correct bee space between combs when the frames are pushed together.



Wired Frame FR-2-01

Specifications:

- Material: New zealand pine
- Applicable Industries: Farms, beekeeping
- Assembled with stainless steel wire, eyelets
- Color: Natural
- Deep frame: 48.3*44.8*23.2cm
- Medium frame: 48.3*44.8*15.9cm



FR-2-01

Wooden Bee Frame with wax foundation FR-2-02

Specifications:

- Material: Pine (knot-free)
- Assembled with stainless steel
- Wire, eyelets, wax foundation sheet.
- Deep frame: 48.3*44.8*23.2cm
- Medium frame: 48.3*44.8*15.9cm



FR-2-02

Wooden Bee Frame with plastic foundation FR-2-03

Specifications:

- Material: New zealand pine
- Applicable Industries: Farms, beekeeping
- Assembled with stainless steel wire, eyelets
- Color: Natural
- Deep frame: 48.3*44.8*23.2cm
- Medium frame: 48.3*44.8*15.9cm
- Customization: Available



FR-2-03

Plastic Frame with Foundation FR-7

Specifications:

- Material: Plastic
- Size: 48.3*44.8*23.2cm
48.3*44.8*17.5cm
48.3*44.8*15.9cm
- More Colors Available




FR-7

QUEEN EXCLUDER



A queen excluder is a selective barrier inside the beehive that allows worker bees but not the larger queens and drones to traverse the barrier. Its intent is to limit the queen's access to the honey supers.



QE-5

Plastic Queen Excluder QE-5

Specifications:

- Material: PE/PP
- Color: White
- Size: 51*41cm
- N.W: 264.6g
- Customized size and color available



QE-1

Wooden Queen Excluder QE-1

Specifications:

- Material: Fir wood
- Size: 51*41cm
- Weight: 430g/pc



QE-5B

Queen Excluder QE-5B

Specifications:

- Material: Plastic
- Color: Yellow, other color can also be customized
- Size: 46*46cm
- Package: 100pcs/carton



QE-10

Stainless Steel Queen Excluder QE-10

Specifications:

- Material: 304 stainless steel
- Size: 51*41cm Four sides
- bounded
- N.W: 926.2g
- Customized size is available



QE-8

Galvanized Queen Excluder QE-8

Specifications:

- Material: Galvanized Four sides bounded
- Size: 51*41cm (Langstroth)
50.5*40.5cm (10F Australian)
50.5*35.5cm (8F Australian)
50*43cm (Dadant)
- N.W: 997.6g



QE-9

Four Sides Bounded QE-9

Specifications:

- Size: 51*41cm
- inner galvanized excluder and outer wooden frame
- Weight: 0.9kg

02 HARVESTING

- Honey extractor
- Honey strainer
- Honey tank

Multi-sweet



HONEY EXTRACTOR



A honey extractor is a mechanical device used in the extraction of honey from honeycombs. A honey extractor extracts the honey from the honey comb without destroying the comb. Extractors work by centrifugal force. A drum or container holds a frame basket which spins, flinging the honey out. With this method the wax comb stays intact within the frame and can be reused by the bees.

Manual Honey Extractor

4 Frames Electric Honey Extractor	
Drive System	Manual(Hand Crank)
Basket Design	Tangential
Capacity	Holds 4 deep frames or 8 medium(shallow) frames
Barrel	Food-grade 201 Stainless Steel, Seamless Welding
Barrel Diameter	47cm
Barrel Height	60cm
Basket	Food-grade 304 Stainless Steel
Basket Size	42x26cm
Lids	Acrylic, Transparent
Legs	Powder Coating, Pre-drilled, Easy Mounting. Plastic Honey Gate Self-assembly, shipped in carton. Knob type nuts, free from tools when assembly or disassembly.

Customization Available

- Stainless Steel Honey Gate
- 304 Stainless Steel Barrel
- Longer legs for putting a pail underneath
- Stainless Steel Legs
- Basket Design Adjustment&Reinforcement



EX-04S



EX-04S



EX-02P

2 Frames Plastic Honey Extractor

2 Frames Manual Plastic, without legs

- Specifications:
- Plastic barrel + galvanized inner basket
 - Inner basket size: 26.5*46cm
 - Barrel diameter: 35cm
 - Net weight: 8kg



EX-02S

2 Frames Stainless Steel Honey Extractor

2 Frames Manual Stainless Steel, with coated powder legs

- Specifications:
- 201/304 SS barrel + 304SS inner basket
 - With legs and plastic honey gate
 - Seamless welding for barrel
 - Barrel diameter: 38cm
 - Barrel height: 60cm



EX-02T

2 Frames Transparent Honey Extractor

2 Frames Manual Transparent, with stainless steel legs

- Specifications:
- Acrylic + 304 stainless steel inner basket
 - Stainless Steel honey gate
 - Barrel diameter: 38cm
 - Barrel height: 60cm



EX-02SC

2 Frames Manual Honey Extractor

2 Frames Manual Stainless Steel, without legs

- Specifications:
- 201/304 SS barrel + 304SS inner basket
 - Plastic honey gate
 - Seamless welded barrel
 - Barrel diameter: 34cm
 - Barrel height: 75cm



EX-03T

3 Frames Transparent Honey Extractor

3 Frames Manual Transparent, with stainless steel legs

- Specifications:
- Acrylic for barrel + 304SS for inner basket
 - Stainless Steel honey gate
 - Barrel diameter: 38cm
 - Barrel height: 60cm
 - Inner basket size: 42*26cm



EX-03S

3 Frames Stainless Steel Honey Extractor

3 Frames Manual Stainless Steel, with coated powder legs

- Specifications:
- 201/304 SS barrel + 304SS inner basket
 - Plastic honey gate
 - Seamless welding for barrel
 - Barrel diameter: 38cm
 - Barrel height: 60cm
 - Inner basket size: 42*26cm



EX-06S

6 Frames Stainless Steel Honey Extractor

6 Frames Manual Stainless Steel,with coated powder legs

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Barrel diameter: 64cm
- Barrel height: 60cm
- Inner basket size: 42*26cm
- Bottom honey gate valve



EX-08S

8 Frames Stainless Steel Honey Extractor

8 Frames Manual Stainless Steel,with coated powder legs

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Barrel diameter: 64cm
- Barrel height: 60cm
- Inner basket size: 42*26cm

Electric Honey Extractor

4 Frames Electric Honey Extractor

Drive System	Motor Powered
Power Supply	220V or 110V
Motor	140W
Basket Design	Tangential
Capacity	Holds 4 deep frames or 8 medium(shallow) frames
Barrel	Food-grade 201 Stainless Steel,Seamless Welding
Barrel Diameter	47cm
Barrel Height	60cm
Basket	Food-grade 304 Stainless Steel
Basket Size	42x26cm
Lids	Acrylic, Transparent.
Legs	Powder Coating,Pre-drilled,Easy Mounting.



EX-04SE



EX-04SE

Plastic Honey Gate

Self-assembly,shipped in carton.

Knob type nuts,free from tools when assembly or disassembly.

Customization Available

- Stainless Steel Honey Gate
- 304 Stainless Steel Barrel
- Longer legs for putting a pail underneath
- Stainless Steel Legs
- Basket Design Adjustment&Reinforcement

8 Frames Electric Honey Extractor

Drive System	Motor Powered
Power Supply	220V or 110V
Motor	250W
Basket Design	Radial
Capacity	Holds up to 8 frames
Barrel	Food-grade 201 Stainless Steel,Seamless Welding
Barrel Diameter	64cm
Barrel Height	60cm
Basket	Food-grade 304 Stainless Steel
Basket Size	42x26cm
Lids	Acrylic,Transparent.
Legs	Powder Coating,Pre-drilled,Easy Mounting.



EX-08SE



EX-08SE

Stainless Steel Honey Gate

Self-assembly,shipped in carton.

Knob type bolts,free from tools when assembly or disassembly.

Customization Available

- Plastic Honey Gate
- 304 Stainless Steel Barrel
- Longer legs for putting a pail underneath
- Stainless Steel Legs
- Basket Design Adjustment&Reinforcement

3 Frames Electric Honey Extractor

3 Frames electric,220V/110V,140W

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Barrel diameter: 38cm
- Barrel height: 60cm
- Inner basket size: 42*26cm
- Seamless welding barrel
- Coated powder legs,with plastic honey gate



EX-03SE



EX-06SE

6 Frames Electric Honey Extractor

6 Frames electric,220V/110V,250W

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Seamless welding barrel
- Coated powder legs with all black heads (bolts and nuts)
- Barrel diameter: 64cm
- Barrel height: 68cm
- Total height: 107cm
- Inner basket size: 42*26cm
- Bottom honey gate valve



EX-12XE

12 Frames Electric Honey Extractor

12 Frames electric,220V,550W

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Barrel diameter: 68cm
- Barrel height: 68cm
- Total height: 107cm
- Inner basket size: 42*26cm
- Coated powder legs with all black heads (bolts and nuts)
- Stainless steel honey gate



EX-24XE

24 Frames Electric Honey Extractor

24 Frames electric,220V,550W

Specifications:

- 201/304 SS barrel + 304SS inner basket
- Coated powder legs with all black heads (bolts and nuts)
- Bottom honey gate valve
- Barrel diameter: 90cm
- Barrel height: 73cm
- Inner basket size: 42*26cm



EX-03D

3 Frames Dadant Manual Honey Extractor

3 Frames Dadant Manual Honey Extractor

Specifications:

- Barrel: Food-grade 201 Stainless Steel,- Seamless Welding
- Barrel Diameter: 48cm
- Basket: Food-grade 304 Stainless Steel
- Inner Basket Size: 44*33cm
- Lids: Acrylic,Transparent.
- Legs: Powder Coating,Pre-drilled,Easy Mounting
- Plastic Honey Gate,customization available



EX-04D

4 Frames Dadant Manual Honey Extractor

4 Frames Dadant Manual Honey Extractor

Specifications:

- Barrel: Food-grade 201 Stainless Steel, Seamless Welding
- Barrel Diameter: 64cm
- Basket: Food-grade 304 Stainless Steel
- Inner Basket Size: 44*33cm
- Lids: Acrylic,Transparent.
- Legs: Powder Coating,Pre-drilled,Easy Mounting
- Plastic Honey Gate,customization available

HONEY STRAINER



A great way to strain or filter your honey directly from your extractor.Removes wax particles and other foreign material,anywhere you need a strainer.



ST-3

Conical nylon strainer ST-3

Specifications:

- Material: Nylon
- Diameter: 35cm
- Weight: 85g/pc
- Package: 200pcs/carton



ST-5

Honey strainer ST-5

Specifications:

- Material: 304SS strainer +201SS holder
- Application: Essential tool for Beekeeping
- Level: Double filters,16 mesh and 30 mesh
- Features: Double screens to effectively filter the honey,the big strainer with stretch handle,it can be extended and retracted.
- Included: 1 x sets of double honey Filters (1 x big filter,1 x small filter)



MS-UT

Uncapping tray MS-UT

Specifications:

- Material: 304 Stainless steel
- with honey gate and strainer
- Weight: 30kg
- Outer Length: 194.4cm
- Inner Length: 95.5cm
- Outer Width: 50cm
- Inner Width: 47.7cm



MS-UT-03

Uncapping tray MS-UT-03

Specifications:

- Material: 201 stainless steel
- The size of uncapping tray: L*W*H=47*35.3*8cm
- Size of the bottom plastic tank: L*W*H=47*35.3*33cm

HONEY TANK



Once the honey is extracted, it is often filtered or pumped into a storage honey tank to hold until it is ready for packaging. The honey is filtered to remove beeswax and other substance that might be leftover in the honey after the extracting process.



MS-HT-5A

Honey Tank MS-HT-5A

Specifications:

- Material: 201 stainless steel
- Diameter*Height: 35*35cm
- Capacity: 40kg honey/30L water
- Thickness: 1mm
- Net Weight: 4.2KG
- Include: 2pcs barrel clips and 1pc plastic honey gate
- More capacity available(50kg~500kgs)



MS-HT-12

Honey Tank with Strainer MS-HT-12

Specifications:

- Material: 201 ss
- Diameter: 40cm
- Height: 60cm
- Total Height: 73cm
- Outer Diameter: 42cm



MS-HT-13H

Honey Tank with Heater MS-HT-13H

Specifications:

- Height(inner/outer): 43.5/53cm
- Net capacity: 70L
- Diameter(inner/outer): 45/50cm
- Power: 3KW
- Filter diameter: 44.5cm
- Filter height: 31cm



MS-HT-9

20L Pail with Honey Gate MS-HT-9

Specifications:

- Material: PP(food grade)
- Capacity: 20L with plastic honey gate
- Net Weight: 1KG
- More capacity available



MS-HT-5B

Honey Tank MS-HT-5B

Specifications:

- Material: 201 stainless steel
- With 2pcs barrel clips and 1pc plastic honey gate
- Diameter*Height: 40*40cm
- Capacity: 50kgs honey
- Thickness: 1mm



MS-HT-10

15L Pail With Honey Gate MS-HT-10

Specifications:

- Material: PP
- Capacity: 15L
- With plastic honey gate
- Package: 24pcs/carton
- G.W: 22KG



MS-HT-15

Simple Honey Tank MS-HT-15

Specifications:

- Material: 201ss
- Capacity: 10L
- Upper Diameter: 29cm
- Bottom Diameter: 19.5cm
- Height: 26cm
- Thickness: 0.6mm



MS-HT-16

Plastic Honey Tank MS-HT-16

Specifications:

- Capacity: 25L
- Color: white
- Other colors are available
- Package: 15pcs/carton
- G.W: 19.6KG

03 BEEKEEPING TOOLS

- Bee smoker
- Hive tool
- Honey scraper
- Bee brush
- Beehive accessories

Multi-sweet



BEE SMOKER



A bee smoker is a device used in beekeeping to calm honey bees. The smoker is a metal container with air pumping bellows attached. A smoldering fire is built in the metal fire chamber and the bellows are used to blow the smoke produced out through a nozzle at the top of the smoker.

Bee Smoker S-2(M)	
Excellent Smoke Output,Durable	
Barrel	Stainless Steel
Barrel Height	19.3cm
Barrel Diameter	10cm
Bellow	Leatheroid
Overall Height	28.5cm
Weight	736g

Quality Hinge/Heat Shield	
Customization Available:	Small and Large Size are Available
	More Colors of Bellow Material(Yellow, Red, Blue, Green)
	Logo Print



S-2(M)



S-1(M)

Bee Smoker S-1(M)	
Specifications:	
<ul style="list-style-type: none">Material: Stainless Steel, CoriumOverall height: 28.5cmBarrel height: 19.3cmBarrel diameter: 10cmWeight: 736gSmall and Large Size are Available	



S-12

Bee Smoker S-12	
Specifications:	
<ul style="list-style-type: none">Material: Stainless Steel, CoriumOverall height: 28.5cmBarrel diameter: 10cmBarrel height: 19.3cmWithout inner tankOperated by batterySmall and Large Size are Available	



S-14

Smoker fuel S-14	
Specifications:	
<ul style="list-style-type: none">Package: 54pcs smoker fuel carton/bagPackage weight: 0.17kg/bagBag size: 15.5*10*2.8cm	



S-16

Bee Smoker S-16	
Specifications:	
<ul style="list-style-type: none">Material: Stainless Steel+PlasticG.W: 9.3KGPacking Size: 68*30*42cm	

HIVE TOOL



Hand tools to open the beehive and remove the frames are a beekeepers best friend. The hive tool is used to remove the beehive cover and frames for inspection.



HT-2

American Style Hive Tool HT-2	
Specifications:	
<ul style="list-style-type: none">Material: stainless steelLength: 26cmWeight: 185g/pc	



HT-6

Hive Tool HT-6	
Specifications:	
<ul style="list-style-type: none">Material: stainless steelLength: 23.5cmWeight: 135g/pc	



HT-8

Hive Tool HT-8	
Specifications:	
<ul style="list-style-type: none">Material: stainless steelHook painted red colorLength: 26.8cmWeight: 146g/pc	



HT-10

Pocket Hive Tool HT-10	
Specifications:	
<ul style="list-style-type: none">Material: stainless steelLength: 16cmWeight: 71g/pc	



HT-22

Multi-purpose Tool HT-22

Specifications:

- Material: Stainless Steel
- Weight: 400g
- It can be folded,the size after folding is 16*9*3.5CM
- With portable oxford bag



HT-3

J hook Hive Tool HT-3

Specifications:

- Material: stainless steel
- Length: 29.5cm
- Weight: 130g/pc



HT-21



HT-21

Hive tool HT-21

Specifications:

- Material: Stainless Steel+Wood
- Length: 270mm
- G.W: 14KG
- Packing Size: 47*43*39cm



HT-5

Chisel with Wooden Handle HT-5

Specifications:

- Material: stainless steel
- Length: 20.5cm
- Weight: 105g/pc



HT-5A

Chisel with Wooden Handle HT-5A

Specifications:

- Material: stainless steel
- Length: 35.8cm
- Weight: 165g/pc



HT-7

Hive tool HT-7

Specifications:

- Material: galvanized
- Length: 35.7cm
- Weight: 171g/pc



HT-4

J hook hive tool HT-4

Specifications:

- Material: Galvanized
- Length: 28.5cm
- Packing Size: 30*20*15cm
- Weight: 17kg/carton



HT-9

Hive tool HT-9

Specifications:

- Material: stainless steel
- Length: 25.6cm
- Weight: 189g/pc



HT-13

American Hive Tool with Half Yellow Painting HT-13

Specifications:

- Material: stainless steel
- Length: 24cm
- Weight: 130g/pc



HT-14

Korean Type with Ring HT-14

Specifications:

- Material: Stainless steel
- Package: 75pcs/carton
- G.W: 11.2KG
- Packing Size: 30*22*12cm



HT-17

Hive tool HT-17

Specifications:

- Material: Stainless Steel+Wood
- Total Length: 28cm
- Handle Length: 13.7cm
- Knife Length: 10cm
- Package: 100pcs/carton

HONEY SCRAPER



The honey scraper is very handy when extracting the honey by opening up the beeswax capped cells in low areas on the frame.According to the shape,it can be divided into Z,J,Needle type,Roller,etc.According to the type of power,it can be divided into manual and electric.



HS-4S

Honey Scraper HS-4S

Specifications:

- Material: stainless steel
- One side blade,one side serrated
- Net weight: 245g/pc



HS-5M

Bend Needle Uncapping Fork HS-5M

Specifications:

- Material: Plastic and stainless steel
- With hanging hole
- Color: Red/Yellow
- 18 pcs needles



HS-6

Electric Uncapping Knife HS-6

Specifications:

- Material: stainless steel
- Length of knife: 25cm
- Total length: 44cm
- Weight: 460g/pc
- With integrated thermostat



HS-14

Honey Scraper HS-14

Specifications:

- Material: Stainless Steel+Wooden Handle
- Voltage: 220V
- Plug Type: Europe Plug



HS-15

Honey Scraper HS-15

Specifications:

- Material: Stainless Steel+Wooden Handle
- G.W: 7.6KG
- Packing Size: 44*25.5*19.5cm



HS-5A

Honey Scraper HS-5A

Specifications:

- Material: iron
- Net weight: 75g/pc



HS-5B

Bend needle uncapping fork HS-5B

Specifications:

- Material: Plastic and stainless steel
- Length: 20.5cm
- Weight: 50g/pc
- 18pcs thick needles or 21pcs fine needles



HS-6T

Electric uncapping knife HS-6T

Specifications:

- Length of knife: 25cm
- Temperature can be regulated
- Package: 25pcs/38*38*48cm/15.2kg
47*8*8cm/1pcs/0.6kg



HS-7

Uncapping roller HS-7

Specifications:

- Material: plastic white roller
- Package: 50pcs/carton
- Packing Size: 50*31*30.5cm
- G.W: 11.8kg



HS-8

Uncapping stainless needle roller HS-8

Specifications:

- S-steel Needle-punched and wood handle
- Weight: 225g/pc
- Length: 24cm



HS-12



HS-12

Honey scraper HS-12

Specifications:

- Material: steel
- 18pcs needles
- Total length: 19.5cm
- Plastic handle length: 12cm
- Steel length: 7.5cm

BEE BRUSH



The Bee Brush has long,soft,flexible yellow bristles,they are gentle enough for brushing bees off queen cells yet firm enough to remove bees from frames,supers,or clothes.Will not crush or injure bees.A sturdy all purpose wood handle brush. Can be washed.



BB-2

Bee Brush BB-2

Specifications:

- Material: single bristle and plastic handle
- Weight: 55g/pc
- Package: 100pcs/carton
- Packing Size: 21*45*42cm



BB-3

Bee Brush BB-3

Specifications:

- Material: single bristle and wood handle
- Weight: 45g/pc



BB-7

Bee Brush BB-7

Specifications:

- Material: 3rows bristle and wide wood handle
- With holes in handle for hanging
- Packing Size: 60*44*44cm



BB-8

Bee Brush BB-8

Specifications:

- Material: 3rows firber and wide wood handle
- With holes in handle for hanging
- Package: 300pcs/carton



BB-9

Bee Brush BB-9

Specifications:

- Material: 3rows horsetail and wide bend wood handle
- Total length: 40cm
- Hair length: 22*7cm
- Weight: 115g/pc



BB-12

Bee Brush BB-12

Specifications:

- Material: 2rows fiber and wide wood handle
- Total length: 40cm
- Hair length: 22*7cm

Bee Brush BB-13

Specifications:

- Material: 2rows horsetail and painted wood handle
- Total length: 36.5cm
- Hair length: 18*5.5cm
- Weight: 50g/pc

Bee Brush BB-14

Specifications:

- Material: 2rows fiber and painted wood handle
- G.W: 29KG
- Package: 300pcs/carton

Bee Brush BB-1

Specifications:

- Material: double bristle and wood handle
- Weight: 55g/pc
- L*W=40*8cm

Bee Brush BB-4A

Specifications:

- Material: horse tail and plastic handle
- Weight: 55g/pc
- Package: 100pcs/carton

Bee Brush BB-4B

Specifications:

- Material: double horse tail and wooden handle
- Weight: 55g/pc

Bee Brush BB-5

Specifications:

- Material: double artificial fiber and wood handle
- Weight: 65g/pc
- L*W=41*8cm

Bee Brush BB-11

Specifications:

- Material: 2rows horsetail and wide wood handle
- Total length: 40cm hair
- Length: 22*7cm
- Weight: 56g/pc

BEEHIVE ACCESSORIES



Frame Grip FG-1

Specifications:

- Material: Stainless steel
- Length: 13cm
- Weight: 190g/pc

Frame Grip FG-2

Specifications:

- Usage: An essential tool to lift the frames
- Material: Galvanized Iron
- Size: 13cm*14cm
- Package: 60pcs/carton
- Packing Size: 44*22*30cm
- G.W: 9KG

Frame Grip FG-3A

Specifications:

- Material: Stainless Steel
- Color: Yellow,Red,Blue
- G.W: 14.3KG
- Package: 60pcs/carton

Frame Grip FG-5

Specifications:

- Material: stainless steel
- Length: 12.2cm
- Weight: 224.5g/pc

Frame Spacing Tool FS-9

Specifications:

- Material: iron
- Weight: 30g/pc

Frame Spacing Tool FS-11

Specifications:

- Material: Plastic
- Usage: Spaces down from 8 frames to 7 frames
- Application: For 10 frames beehive



FS-12

Frame Spacing Tool FS-12

Specifications:

- Material: Plastic
- Usage: Spaces down from 10 frames to 8 frames
- Application: For 10 frames beehive



FS-13

Frame Spacing Tool FS-13

Specifications:

- Material: Plastic
- Usage: Spaces down from 10 frames to 9 frames
- Application: For 10 frames beehive



E-2S

Enter For Bee E-2S

Specifications:

- Usage: For bees to enter in the beehive from the gate
- Material: iron
- Fixed directly on the box



E-5

Enter For Bee E-5

Specifications:

- Total Diameter:12.5cm
- Small Hole
- Diameter:4cm
- Tiny Hole
- Diameter: 3mm Bar Height: 4mm



E-6

Enter For Bee E-6

Specifications:

- Material: 201 stainless steel
- Diameter: 12.5cm
- Package: 200pcs/carton



E-7

Enter For Bee E-7

Specifications:

- Material: Plastic
- Color: Green And Red
- Package: 50pcs/carton
- Packing Size: 44*26*21cm
- G.W: 2.8KG
- With two fixed piece for fixing on the beehive



WE-1

Wire Embedder WE-1

Specifications:

- Material: Aluminum alloy and wood
- Length: 14.5cm
- Weight: 35g/pc



WE-2

Wire Embedder WE-2

Specifications:

- Material: Brass and wood handle
- Length: 24cm
- Weight: 58g/pc



WE-5

Electric Wire Embedder WE-5

Specifications:

- Material: Cooper
- Weight: 98g
- Rated power: 30W



WE-6

Electric Wire Embedder WE-6

Specifications:

- Automatic Temp Control and Time Control
- Treadle Type



WE-7

Electric Wire Embedder WE-7

Specifications:

- Usage: Wax Wire Embedding
- Voltage: 220V With European Plug
- Package: 20pcs/carton
- G.W: 28.2KG



WE-9

Electric Wire Embedder WE-9

Specifications:

- Usage: Wax Wire Embedding
- G.W: 9KG
- Package: 25pcs/carton
- Packing Size: 53*43*15cm



WT-1

Wire crimper WT-1

Specifications:

- Material: Plastic with metal
- Length: 22cm
- Weight: 65g/pc



WT-2

Wire crimper WT-2

Specifications:

- Material: iron with wooden handle
- Weight: 234g
- Length: 13.5cm
- Height: 2.1cm



ES-1

Escape ES-1

Specifications:

- Material: Plastic
- Colour : Yellow or orange
- Weight: 75g/pc



ES-2

Escape ES-2

Specifications:

- Material: Plastic
- Colour : White

04 FEEDING

- Bee feeder
- Bee bread
- Bee products


Multi-sweet



BEE FEEDER



Bee feeder is a container for rapidly feeding sugar syrup to colonies usually in early spring or autumn. They come in various forms ranging from enter bee feeder, top bee feeder to inside hive bee feeder that hold large amounts of syrup or water.



BF-5A

Bee Feeder BF-5A

Specifications:

- Material: plastic
- Only feeder (without bottle)
- Can be seperated




BF-11

Enter For Bee BF-11

Specifications:

- Usage: Feed the bees with water
- Material: Plastic
- Color: Transparent + Yellow
- Size: 7*13.2 cm
- Package: 100pcs/carton
- Packing Size: 44*54*30cm
- G.W: 8.9KG




BF-17

Enter For Bee BF-17

Specifications:

- Material: plastic+metal
- Perforated feeder lid
- Capacity: 2.27kgs
- Cap fits standard Mason jar



BF-18

Enter For Bee BF-18

Specifications:

- Perforated metal cap
- Cap fits standard Mason jar



BF-7



BF-7

Rapid Bee Feeder BF-7

Specifications:

- Material: Plastic
- Diameter: 210mm
- Height: 80mm
- Weight: 267.3g



BF-10




BF-10


Bee Feeder BF-10

Specifications:

- Top bee feeder
- Capacity: 6L
- Product size: 39*33*7.3cm



BF-16



BF-3

European Top Bee Feeder BF-16


Specifications:

- Material: Plastic
- Diameter: 200mm
- Height: 50mm

Bee Feeder BF-3

Specifications:

- Capacity: 1.5L (in beehive)
- Size: 42.8*3.5*8cm
- Weight: 65g/pc




BF-9

Bee Feeder BF-9

Specifications:

- Deep feeder-plastic
- Capacity: 3.5L
- Net ladder: 53*45*30/500pcs/11.9kg
- Cap: 55*44*30/160pcs/21.5kg



BF-14

Pollen feeder BF-14

Specifications:

- Material: plastic
- Size: 49*44*23.5cm
- Weight: 491g
- Package: 50pcs/carton
- Packing Size: 53*51*50cm



BF-13



BF-13

Bee Feeder BF-13

Specifications:

- Material: plastic
- Top length: 48.5cm
- Length of holder on top: 1cm
- Bottom length: 44cm
- Feeder width: 8cm
- Feeder deep: 23cm
- Diameter of the net ladder : 7cm
- Capacity: 6L

BEE BREAD



Honey bee feed can provide food when natural supplies are not available. Beekeepers can also stimulate the honey bees into raising a brood before the natural stimulants are in abundance. Often times getting a head start on the spring flowers will help the bees build up the colony for the honey flow that follows the spring build up of honey bees.



Bee Bread In Powder

Specifications:

- 1kg/bag
- 25kgs/carton
- 48*35*25cm



Mix pollen

Specifications:

- Moisture < 8%
- Ash content < 4%
- Protein: \geq 15%
- Packing: 12.5kg/bag 25kg/carton
- Packing Size: 48*35*25cm

BEE PRODUCTS



Refined Yellow Beeswax

Specifications:

- Hydrocarbon: 16%-18%
- Melting Point: 62°-67°
- Acid Value: 16%-23%
- Saponification Value: 75%-110%
- Impurity: <0.1%
- Packing: 25kg/bag
- Packing Size: 42*32*27cm



Refined White Beeswax

Specifications:

- Hydrocarbon: 16%-18%
- Melting Point: 62°-67°
- Acid Value: 16%-23%
- Saponification Value: 75%-110%
- Impurity: <0.1%
- Packing: 25kg/bag
- Packing Size: 42*32*27cm



Beeswax In Granule

Specifications:

- Hydrocarbon: 16%-18%
- Melting Point: 62°-67°
- Acid Value: 16%-23%
- Saponification Value: 75%-110%
- Impurity: <0.1%
- Packing: 20kg/bag
- Packing Size: 48*25*35cm



Refined Propolis

Specifications:

- Propolis Content: \geq 97%
- Flavone: \geq 15%
- Lead: \leq 1ppm
- Packing: 1kg/bag, 20bags/carton
- Packing Size: 53*29*22cm



Propolis Powder

Specifications:

- Propolis Content: 50%-85%
- Flavone: 7.5%-13%
- Lead: \leq 1ppm
- Packing: 1kg/bag



Raw Propolis

Specifications:

- Propolis Content: \geq 40%
- Packing: 1kg/bag, 5kg/bag



05 QUEEN REARING

- Mating box
- Queen cage
- Grafting tool for queen larvae
- Cell protector cage
- Marking pen

Multi-sweet



MATING BOX



After queens are raised,they need to be mated.This mating nuc features a sliding front panel covering a ventilation mesh or the entrance to allow the nuc to be easily moved to the mating apiary. There is a feeding section at the rear which is segregated by a queen excluder.



B-22



B-22



B-22

Mini Mating Box B-22

Specifications:

- Size: 24*15*16.5cm
- Weight: 310g
- Including 3 frames

QUEEN CAGE



No more stapling screens and juggling corks!Each cage is scented with a pheromone to increase acceptance.Your queen will appreciate the ample size communication holes and generous hiding area to keep hostile bees at bay.Its thinner design fits better in-between frames and is lighter than wood cages, reducing shipping costs!



QC-1

Plastic Queen cage QC-1

Specifications:

- Material: Plastic
- Weight: 4g/pc
- Package: 2500pcs/carton
- Packing Size: 70*48*30cm



QC-3C

Queen Marking Tube QC-3C

Specifications:

- Material: Plastic
- With sponge
- Package: 100pcs/carton
- Packing Size: 44*37*41cm
- G.W: 13.8kg/carton



QC-6

Queen Catcher QC-6

Specifications:

- Material: Plastic
- Length: 70mm
- Weight: 12g



QC-6C

Queen Catcher QC-6C

Specifications:

- Material: Stainless Steel
- Size: 5*1.6*4.8cm
- Weight: 26g



QC-3A

Queen Marking Tube QC-3A

Specifications:

- Material: Plastic
- With sponge
- Packing Size: 51*32*36cm
- G.W: 19kg/carton



QC-2

Queen Cage QC-2

Specifications:

- Material: Bamboo
- Weight: 5g/pc
- Packing Size: 54*45*55cm
- G.W: 11.25kg/carton



QC-3B

Queen Marking Tube QC-3B

Specifications:

- Material: Plastic
- With sponge
- Packing Size: 34*24.5*22cm
- G.W: 12.8kg/carton



QC-5

Queen cage QC-5

Specifications:

- Material: Plastic
- Weight: 8.3g/pc
- Package: 2000pcs/carton
- Packing Size: 69*30*60cm
- G.W: 19.8kg/carton



QC-7

Queen cage QC-7

Specifications:

- Material: Plastic
- 25g/pc
- Diameter: 5cm
- Height: 4cm



QC-8A

Queen Cage QC-8A

Specifications:

- Material: Plastic
- Weight: 3g/pc
- Diameter: 7cm
- G.W: 2.2kg



QC-13

Queen Catcher QC-13

Specifications:

- Material: Plastic
- Weight: 14g/pc
- Package: 700pcs/carton
- G.W: 10.5kg



QC-16

Queen Catcher QC-16

Specifications:

- Material: Plastic
- Weight: 14g/pc
- Packing Size: 54*43*30.5cm
- G.W: 19kg



TL-3

Grafting Tool TL-3

Specifications:

- Material: Stainless Steel
- Weight: 9.1g/pc
- Length: 19.5cm
- Packing Size: 44*37*41cm
- G.W: 13.8KG



TL-3A

Grafting Tool TL-3A

Specifications:

- Material: Stainless Steel
- Weight: 160g
- Packing Size: 44*37*41cm
- G.W: 13.8KG
- Double Head



TL-7



TL-7

Grafting Tool TL-7

Specifications:

- Material: Plastic
- G.W: 2.8KG
- Packing Size: 32*26*12cm

GRAFTING TOOL FOR QUEEN LARVAE



Queen larvae grafting tool is used to remove queen larvae from wax foundation sheets to man-made queen cell strip in order to collect royal jelly easier.



TL-1

Grafting Tool for Queen Larvae TL-1

Specifications:

- Material: Plastic
- Weight: 2.3g/pc
- Length: 11.5cm



TL-2

Grafting Tool for Queen Larvae TL-2

Specifications:

- Material: Stainless Steel
- Weight: 20g/pc
- Length: 17cm
- Packing Size: 44*37*41cm
- G.W: 13.8KG

CELL PROTECTOR CAGE



The queen cell protector cage is a simple tubular gadget.The cage is about the size and shape of a hair curler,it is used on a grafting bar to protect the developing cells after the nurse bees have fully capped the queen cells.When the developing queens are ensconced inside a protector cage,they are easy to find after they emerge.More importantly,the queens will be protected from the first emerging queen,whose first task is to patrol the area and destroy (kill) her yet-to-emerge rivals.



QBS-4

Queen Cell Cup QBS-4

Specifications:

- Material: Plastic
- Weight: 0.3g/pc
- Color: Brown
- 1000pcs/bag



QBS-7

Cell Protector Cage QBS-7

Specifications:

- Material: Plastic
- Weight: 7g/pc
- Color: White
- 1000pcs/bag



QBS-11

Push-In Cell Protectors QBS-11

Specifications:

- Material: Plastic
- G.W: 5KG
- Color: Orange
- 200pcs/bag



QBS-12

Jz Bz Base Mount Cell Cup QBS-12

Specifications:

- Material: Plastic
- 1000pcs/bag
- Packing Size: 26*15*18cm
- More colors are available



QBS-12A

Cell Cup Strip QBS-12A

Specifications:

- Material: ABS plastic
- Cell Bar Size: 42.5*1.5*1.5cm
- Weight: 160g



QBS-16

No-grafting Queen Rearing Kit QBS-16

Specifications:

- Material: Plastic
- G.W: 8.2KG
- Packing Size: 50*31*30cm



QBSC-1

Queen bee spawning controller QBSC-1

Specifications:

- Material: ABS plastic
- G.W: 24.6KG
- Packing Size: 55*55*32cm



QRK-1-01

Queen Cup System Starter Kit QRK-1-01

The Kit Include:

- 1* cell grid
- 110* brown cell cups
- 10* hair rollers cages
- 10* brown cell figures
- 10* yellow cell cup holders



ASI-1

Artificial Insemination Instrument ASI-1

Specifications:

- Insemination Instrumental: Honeybee Artificial Insemination
- Instrument 1 set
- Dorsal hook 2pc
- Ventral hook 2pcs
- Probe 2pcs
- Microscale syringe 2pcs(100μl)
- Syringe needle 2pcs
- Anesthetic room 2pcs
- Ensnare room 2pcs
- Piston 2
- Microscope: (10X,20X),W/portable cold light

MARKING PEN



This is the quickest and easiest way to mark your queen!Just mark a small spot on her thorax and when you are finished,the marker conveniently fits into your pocket.Keep track of your queen by using the international color code,this allows you to quickly identify the age of your queen.



MP-1

Marking Pen MP-1

Specifications:

- Features: Water based,non toxic,non fade and quick drying
- Available colors: White,Yellow,Green,Red,Blue
- Size: 15*9.5*4cm/10pcs/225g

06 PROTECTIVE CLOTHING

- Bee suit
- Bee hat
- Beekeeper gloves
- Bee shoes

Multi-sweet



BEE SUIT



Protective clothing for the beekeeper. We have everything from full protective suits with hat, veil, and coveralls to coveralls only. Our full length protective beekeeper suits keep you protected from head to toe when doing a complete honey bee beehive inspection. Whether you need protection from head to toe or just the upper body, we have you covered.



BC-1

Coverall Cotton Suit BC-1

Specifications:

- Material: Cotton
- Color: White or brown
- With veil and zipper
- Weight: 740g/pc



BC-8

Hooded Jacket BC-8

Specifications:

- Material: cotton
- The hat and coat can be parted
- With veil and zipper



BC-18

Ventilated Suit BC-18

Specifications:

- Material: Cotton
- With veil and zipper
- Weight: 2kg/pc
- Size: L,XL,XXL,3XL,4XL



BC-19

Ventilated Jacket BC-19

Specifications:

- Material: Cotton
- With veil and zipper
- Size: L,XL,XXL,3XL,4XL



BC-21-1

Children Bee Suit BC-21-1

Specifications:

- Coverall hooded suit
- White
- Suitable for children at height: 120- 150cm



BC-22A

Korean Breathable Bee Suit BC-22A

Specifications:

- Suitable at height: 160- 180cm
- Size and color can be customized
- G.W: 17.9kg
- Packing Size: 44*44*60cm

Coverall Hooded Suit BC-7

Breathable Material

Made of high quality cotton material, lightweight and breathable, provides excellent bee sting protection and all-day comfort in most weather conditions.

Usage

Protect users from bee biting when they check the beehives or other outdoor activities.

Unique Design

Fireproofing net with veil and zipper, which is convenient, provide clear vision; Elastic wrist and ankle, provide safe anti-bee seal.

Advantages

Self-supporting black veil provides excellent visibility; the cap can be removed or installed, easy to clean and store.

Application

We need bee keeping suit to protect beekeepers from biting by bees, and the beekeepers move bee hive or take the bee hive frames out when harvesting honey, so when we touch bees, we need bee protection keeping suit to protect us.



BC-7



BC-7



BC-7

BEE HAT



Bee protective hat is used to protect beekeepers from bees when they check the beehive.



BH-1

Beekeeper Cowboy Hat BH-1

Specifications:

- Material: fiber
- Color: Brown
- With veil, combo and elastic band
- Weight:220g/pc



BH-5

Bee Hat BH-5

Specifications:

- Material: Thick Denim fabric
- Weight: 226g
- Hat inner diameter: 20cm
- Hat height: 10cm
- Net length: 50cm
- Net diameter: 35cm



BH-7

Bee hat BH-7

Specifications:

- Style: American type
- Package: 50pcs/carton
- Packing Size: 63*36*81cm



BH-8

Beekeeper hat BH-8

Specifications:

- Front Veil Mateiral: Metal
- Style: Square
- Package: 100pcs/carton
- Packing Size: 40*40*52cm

BEEKEEPER GLOVES



As beekeepers,we need bee protection gloves to protect ourselves not bited by bees,we usually need move our bee hive or take the bee hive frames out,so when we touch bees,we need bee protection gloves help us.



BG-2-01

Beekeeper Gloves BG-2-01

Specifications:

- Material: Sheepskin
- Size: L, XL, XXL
- Color: White



BG-2-02

Beekeeper Gloves BG-2-02

Specifications:

- Material: Sheepskin
- Size: L, XL, XXL
- Color: Yellow



BG-3-02

Ventilate Beekeeper Gloves BG-4

Specifications:

- Material: Sheepskin
- Ventilate glove
- Size: L,XL,XXL

BEE SHOES



The bee shoes can not only protect your feet against bees,but also can keep your feet away from wet and dirty,it is convenient to wash and easy to dry.It can be used in acid,oil and alkali environment.



BSH-1



BSH-1



BSH-1

Bee Shoes BSH-1

Specifications:

- Material: Rubber + Beef tendon bottom
- Color: White
- Style: Middle Tube

07 MACHINERY

- Beeswax embossing machine
- Wax press machine
- Honey processing line


Multi-sweet



BEESWAX EMBOSSING MACHINE



The beeswax embossing machine is used for embossing plain and pure beeswax sheets, this helps to conserve the energies of bees to secure drawn-out combs.



CM-1

Casting Mould Embossing Machine CM-1

Specifications:

- Size: 42*22cm
- Cell size: 5.4mm or 4.9mm
- Net weight: 7.5kg
- Custom Size is Available



CM-3

Silicon Beeswax Press CM-3

Specifications:

- Size: 44*23cm
- Material: Silicon
- Usage: Make wax foundation sheet, DIY foundation for beekeeper
- Available color: Blue, Orange, Black, White



E310E

Electrical Beeswax Embossing Machine E310E

Specifications:

- Material: aluminum alloy
- Cell size: 5.4 or 4.9mm
- Roller length: 310mm
- Cylinder diameter: 86mm
- Custom Size is Available




M310E

Manual Beeswax Embossing Machine M310E

Specifications:

- Material: Aluminum alloy
- Cell size: 5.4 or 4.9mm
- Roller length: 310mm
- Cylinder diameter: 86mm
- Custom Size is Available



M310F

Manual Beeswax Flat Sheet Machine M310F

Specifications:

- Material: stainless steel
- Roller length: 310mm
- Cylinder diameter: 75mm



M450E

Manual Beeswax Embossing Machine M450E

Specifications:

- Material: aluminum alloy
- Cell size: 5.4 or 4.9mm
- Roller length: 450mm
- Cylinder diameter: 86mm
- Custom Size is Available

WAX PRESS MACHINE



To get beewax, we should use honey wax separator, it is used to separate the honey and wax, the raw material is honeycomb, the machine uses a jack to drag the tray to squeeze up the honey and leave the bee wax in the filter.



WP-8

Wax Press WP-8

Specifications:

- Material: 201 Stainless Steel
- Diameter: 23cm
- Barrel Height: 29cm
- Capacity: 10L
- Weight: 13.4kg



WP-9

Wax Press WP-9

Specifications:

- Material: 304 Stainless Steel
- Diameter: 23.2cm
- Height: 27.5cm
- Weight: 7.5kg



HM-12

Wax Melter HM-12

Specifications:

- Material: Stainless steel
- Size: 130*115mm
- N.W: 620g
- Capacity: 1.4L




SWM-1

Solar Wax Melter SWM-1

Specifications:

- Material: 304 Stainless Steel
- Inner Tank Size: 50*55*15cm
- Product Size: 82*66*26cm
- Weight: 22kg




ML-HUM

Honeycomb Uncapping Machine ML-HUM

Specifications:

- Frames suitable for langstroth frame processing
- Allowable honeycomb thickness: 8-34mm
- Cutting depth: 3mm
- Spleen cutting speed: 8 pieces/min



MR-HUM

Roller Type Honeycomb Uncapping Machine MR-HUM

Specifications:

- Allowable nest frame size (bottom length): ≤448mm
- Allowable honeycomb thickness: 46-37mm
- Cutting depth: 3mm
- Blade on roller thickness 0.4mm

HONEY PROCESSING MACHINE



Honey Filling Machine HM-5X

Specifications:



- Power: DC12V、AC220V
- Filling Range: 100-5000grams
- Suitable for filling all kinds of non-crystalline liquid honey below 43 Baume degrees and the ambient temperature is higher than 15℃.
- Filling Height: 0-30cm

Honey Filling And Filtering Machine HM-6X

Specifications:



- Power: DC24V、AC220V
- Filling Range: 50-5000grams
- Suitable for filling all kinds of non-crystalline liquid honey below 44 Baume degrees and 5-90℃ liquid semi-crystalline honey.
- Filling Height: 0-33cm
- Filtering: 120 mesh

Honey Filter Pump HFP-1

Specifications:



- Power: DC12V、AC100-240V
- Flow Rate: 500 L/h
- Filter level: 120mesh
- Suitable for filling the honey below 43 Baume degrees
- Ambient Temperature: Higher than 15°

Honey Filter Press HM-20

Specifications:




- Material: 304 Stainless Steel
- Power: 380W, 1.5KW
- Inner Tank Size: 300mm(diameter)*400(depth)
- Outer Tank Size: 360mm(diameter)*300(depth)


HONEY PROCESSING LINE



Semi-Automatic Honey Processing Line



Fully Automatic Honey Processing Line



CERTIFICATE

With advanced production technology and management,Multi-sweet has obtained the ISO9001,HACCP,QS,CE certification.



• ISO Certificate



• Manual Honey Extractor Certificate



• Electric Honey Extractor Certificate



• Electric Honey Extractor Certificate



• Hive Box And Frame Production Line Certificate



• Full Automatic Joint Making Machine Certificate



• Beeswax Foundation Machine Certificate



• Beekeeping Tools Certificate



• Mini Honey Filling Machine Certificate